


MONOPOLAR INSTRUMENTS

A versatile range of active electrodes and accessories for monopolar electrosurgery, enabling precise cutting and coagulation using high-frequency current. Includes reusable and disposable handpieces, blades, needles, ball electrodes, loops, and connecting cables. Designed for broad surgical application, these instruments provide efficient energy delivery, secure connections, and excellent surgeon control. High-grade insulation, ergonomic grips, and durable construction ensure consistent performance and patient safety.



Single Use Monopolar Instruments

mini 3.5 mm

Box of 5	Description	Item No.	Diam.	Length
	METZENBAUM Scissors	SC830SU	3.5 mm	29 cm



MARYLAND Dissecting forceps	SC831SU	3.5 mm	29 cm
-----------------------------	---------	--------	-------



Universal grasping forceps, fenestrated	SC833SU	3.5 mm	29 cm
---	---------	--------	-------



Single Use Monopolar Instruments

5 mm

Box of 5	Description	Item No.	Diam.	Length
	METZENBAUM Scissors	SC840SU	5 mm	31 cm



MARYLAND Dissecting forceps	SC841SU	5 mm	31 cm
-----------------------------	---------	------	-------



Pike mouth grasper	SC842SU	5 mm	31 cm
--------------------	---------	------	-------



Single Use Monopolar Instruments

mini 5.5 mm

Box of 5	Description	Item No.	Diam.	Length
	Universal grasping forceps, fenestrated	SC843SU	5 mm	31 cm



BABCOCK Grasping forceps	SC844SU	5 mm	31 cm
--------------------------	---------	------	-------




Reusable Monopolar Instruments

Scissors


Box of 10	Description	Item No.	Diam.	Length
	METZENBAUM Scissors, slightly curved	SC885SU	5 mm	31 cm




Hook scissors	SC886	5 mm	31 cm
---------------	-------	------	-------




Mini METZENBAUM Scissors	SC887	5 mm	31 cm
--------------------------	-------	------	-------



METZENBAUM Scissors	SC888	5 mm	31 cm
---------------------	-------	------	-------



METZENBAUM Scissors	SC889	5 mm	42 cm
---------------------	-------	------	-------



Optional Handles – Interchangeable for 5 mm and 10 mm Instruments

SC958R (Quick-Snap™ Non-Ratchet)	SC959R (Quick-Snap™ Ratchet)	SC950R (Insulated Metal Non-Ratchet)	SC951R (Insulated Metal Ratchet)

Dissecting & Grasping Forceps




Box of 10	Description	Item No.	Diam.	Length
 1/1	MARYLAND Dissecting forceps	SC891SU	5 mm	31 cm
	Pike mouth grasper	SC892SU	5 mm	31 cm
	Universal grasping forceps, fenestrated	SC893SU	5 mm	31 cm
	BABCOCK Grasping forceps	SC894SU	5 mm	31 cm

Optional Handles - Interchangeable for 5 mm and 10 mm Instruments			
SC958R (Quick-Snap™ Non-Ratchet)	SC959R (Quick-Snap™ Ratchet)	SC950R (Insulated Metal Non-Ratchet)	SC951R (Insulated Metal Ratchet)
			

Reusable Monopolar Instruments








mini 3.5 mm

Complete Instrument				
Description	Item No.	Diam.	Length	
 1/1	SC300R	3.5 mm	29 cm	
	SC320R	3.5 mm	20 cm	
 1/1	SC301R	3.5 mm	29 cm	
	SC321R	3.5 mm	20 cm	
 1/1	SC302R	3.5 mm	29 cm	
	SC322R	3.5 mm	20 cm	
 1/1	SC303R	3.5 mm	29 cm	
	SC323R	3.5 mm	20 cm	
 1/1	SC304R	3.5 mm	29 cm	
	SC324R	3.5 mm	20 cm	




Reusable Monopolar Instruments

mini 3.5 mm













Individual Components			Optional Handles - Interchangeable for 3.5 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
SC340R 	SC986P 	SC380R 	SC380R (Quick-Snap™ Non-Ratchet) 
SC360R 	SC987P 		
SC341R 	SC986P 	SC380R 	SC381R (Quick-Snap™ Ratchet) 
SC361R 	SC987P 		
SC342R 	SC986P 	SC380R 	
SC362R 	SC987P 		
SC343R 	SC986P 	SC380R 	
SC363R 	SC987P 		
SC344R 	SC986P 	SC380R 	
SC364R 	SC987P 		

Complete Instrument			
Description	Item No.	Diam.	Length
 1/1 DORSEY Intestinal forceps	SC305R	3.5 mm	29 cm
	SC325R	3.5 mm	20 cm
 1/1 Universal grasping forceps, fenestrated	SC306R	3.5 mm	29 cm
	SC326R	3.5 mm	20 cm
 1/1 BABCOCK Grasping forceps, double action	SC307R	3.5 mm	29 cm
	SC327R	3.5 mm	20 cm
 1/1 Biopsy forceps, fenestrated	SC308R	3.5 mm	29 cm
	SC328R	3.5 mm	20 cm
 1/1 Fundus grasper	SC309R	3.5 mm	29 cm
	SC329R	3.5 mm	20 cm




Reusable Monopolar Instruments

Scissors










Individual Components			Optional Handles - Interchangeable for 3.5 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC345R	 SC986P	 SC381R	 SC380R (Quick-Snap™ Non-Ratchet)
 SC365R	 SC987P	 SC381R	
 SC346R	 SC986P	 SC381R	 SC381R (Quick-Snap™ Ratchet)
 SC366R	 SC987P	 SC381R	
 SC347R	 SC986P	 SC381R	
 SC367R	 SC987P	 SC381R	
 SC348R	 SC986P	 SC381R	
 SC368R	 SC987P	 SC381R	
 SC349R	 SC986P	 SC381R	
 SC369R	 SC987P	 SC381R	

Complete Instrument				
	Description	Item No.	Diam.	Length
 1/1	METZENBAUM Scissors, serrated, tungsten carbide inserts, Noir™ coating	SC090R	5 mm	31 cm
 1/1	Mini METZENBAUM Scissors, serrated, tungsten carbide inserts, Noir coating	SC091R	5 mm	31 cm
 1/1		SC004R	5 mm	31 cm
		SC027R	5 mm	42 cm
 1/1	METZENBAUM Scissors, serrated, tungsten carbide inserts, insulated to tip	SC015R	5 mm	31 cm
 1/1	METZENBAUM Scissors, serrated, tungsten carbide inserts	Order by Component	10 mm	31 cm




Reusable Monopolar Instruments

Scissors

Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC790R	 SC973R	 SC958R	 SC958R (Quick-Snap™ Non-Ratchet)  SC959R (Quick-Snap™ Ratchet)  SC950R (Insulated Metal Non-Ratchet)  SC951R (Insulated Metal Ratchet)  SC953R (Axial/In-Line)  SC954R (Ratchet)  SC957R (Ratchet with lock)
 SC791R	 SC973R	 SC958R	
 SC603R	 SC973R	 SC958R	
 SC746R	 SC981R	 SC958R	
 SC697R	 SC973R	 SC950R	
 SC604R	 SC974R	 SC958R	

Complete Instrument				
	Description	Item No.	Diam.	Length
 1/1	Medium METZENBAUM Scissors, serrated, tungsten carbide inserts	SC030R	5 mm	31 cm
		SC031R	5 mm	42 cm
 1/1	Mini METZENBAUM Scissors, serrated, tungsten carbide inserts	SC023R	5 mm	22 cm
		SC011R	5 mm	31 cm
 1/1	Mini METZENBAUM Scissors, serrated, tungsten carbide inserts, insulated of the tip	SC028R	5 mm	42 cm
		SC016R	5 mm	31 cm
 1/1	Mini METZENBAUM Scissors, serrated, tungsten carbide inserts, insulated of the tip	Order by Component	5 mm	31 cm




Reusable Monopolar Instruments

Scissors






Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
			SC958R (Quick-Snap™ Non-Ratchet)
			SC959R (Quick-Snap™ Ratchet)
			SC950R (Insulated Metal Non-Ratchet)
SC655R 	SC973R 	SC958R 	SC951R (Insulated Metal Ratchet)
SC754R 	SC981R 	SC958R 	SC953R (Axial/In-Line)
SC698R 	SC973R 	SC950R 	SC954R (Ratchet)
SC710R 	SC973R 	SC950R 	SC957R (Ratchet with lock)

Complete Instrument			
Description	Item No.	Diam.	Length
 1/1 Hook scissors	SC001R	5 mm	31 cm
	SC025R	5 mm	42 cm
 1/1 Peritoneal scissors, serrated	SC002R	5 mm	31 cm
 1/1 Peritoneal scissors with hook, serrated	SC006R	5 mm	31 cm
 1/1 SCTTS DEMARTELL Scissors	SC003R	5 mm	31 cm
	Order by Component	5 mm	42 cm
 1/1 SCTTS DEMARTELL Scissors	SC014R	10 mm	31 cm




Reusable Monopolar Instruments

Dissecting Forceps







Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC600R	 SC973R	 SC958R	 SC958R (Quick-Snap™ Non-Ratchet)  SC959R (Quick-Snap™ Ratchet)  SC950R (Insulated Metal Non-Ratchet)  SC951R (Insulated Metal Ratchet)  SC953R (Axial/In-Line)  SC954R (Ratchet)  SC957R (Ratchet with lock)
 SC744R	 SC981R	 SC958R	
 SC601R	 SC973R	 SC958R	
 SC625R	 SC973R	 SC958R	
 SC602R	 SC973R	 SC958R	
 SC745R	 SC981R	 SC958R	
 SC682R	 SC992R	 SC958R	

Complete Instrument				
	Description	Item No.	Diam.	Length
	MARYLAND Dissecting forceps	SC102R	5 mm	31 cm
		SC202R	5 mm	42 cm
	MARYLAND Dissecting forceps, insulated to tip	SC165R	5 mm	31 cm
	MARYLAND Dissecting forceps, diamond serration	SC237R	5 mm	31 cm
		SC238R	5 mm	42 cm
	CROCE/OLMI Dissecting forceps, fenestrated	SC195R	5 mm	31 cm
	Dolphin nose dissecting forceps	SC147R	5 mm	31 cm




Reusable Monopolar Instruments

Dissecting Forceps














Individual Components			Optional Handles - Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
SC608R 	SC973R 	SC958R 	SC958R (Quick-Snap™ Non-Ratchet) 
SC752R 	SC981R 	SC958R 	SC959R (Quick-Snap™ Ratchet) 
SC699R 	SC973R 	SC950R 	SC950R (Insulated Metal Non-Ratchet) 
			SC951R (Insulated Metal Ratchet) 
SC740R 	SC973R 	SC958R 	SC953R (Axial/In-Line) 
			SC954R (Ratchet) 
SC678R 	SC973R 	SC958R 	SC957R (Ratchet with lock) 

Complete Instrument				
	Description	Item No.	Diam.	Length
 1/1	Atraumatic dissecting forceps, fine tip	SC100R	5 mm	31 cm
 1/1	Dissecting forceps, slim	Order by Component	5 mm	31 cm
 1/1	Right angle, 90° dissecting forceps	SC187R	5 mm	31 cm
 1/1	MIXTER 90° dissecting forceps	SC231R	5 mm	31 cm
 1/1	Duck bill blunt grasper	SC214R	5 mm	37 cm
 1/1	Duck bill dissecting forceps	SC151R	5 mm	31 cm
 1/1	OVERHOLT 90° dissecting forceps	SC103R	10 mm	31 cm
 1/1	OVERHOLT 90° dissecting forceps, insulated to tip	Order by Component	10 mm	37 cm




Reusable Monopolar Instruments

Dissecting Forceps

Individual Components			Optional Handles - Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
SC605R 	SC973R 	SC958R 	SC958R (Quick-Snap™ Non-Ratchet) 
SC614R 	SC973R 	SC958R 	
SC730R 	SC973R 	SC958R 	SC959R (Quick-Snap™ Ratchet) 
SC784R 	SC973R 	SC958R 	
SC767R 	SC976R 	SC958R 	SC950R (Insulated Metal Non-Ratchet) 
SC667R 	SC973R 	SC958R 	
SC606R 	SC975R 	SC958R 	SC951R (Insulated Metal Ratchet) 
SC701R 	SC978R 	SC950R 	
			SC953R (Axial/In-Line) 
			SC954R (Ratchet) 
			SC957R (Ratchet with lock) 

Complete Instrument				
	Description	Item No.	Diam.	Length
 1/1	OVERHOLT 90° dissecting forceps, fine tip	SC219R	10 mm	37 cm
 1/1	OVERHOLT 60° dissecting forceps	SC141R	10 mm	31 cm
 1/1	OVERHOLT 60° dissecting forceps, insulated to tip	Order by Component	10 mm	31 cm
 1/1	OVERHOLT 60° dissecting forceps, fine tip	SC220R	10 mm	37 cm
 1/1	CRILE Dissecting forceps, curved	SC218R	5 mm	31 cm
		SC213R	5 mm	37 cm




Reusable Monopolar Instruments

Grasping Forceps









Individual Components			Optional Handles - Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC772R	 SC978R	 SC958R	 SC958R (Quick-Snap™ Non-Ratchet)
 SC661R	 SC975R	 SC958R	
 SC700R	 SC975R	 SC950R	 SC950R (Insulated Metal Non-Ratchet)
 SC773R	 SC978R	 SC958R	
 SC771R	 SC973R	 SC958R	 SC953R (Axial/In-Line)
 SC766R	 SC976R	 SC958R	
			 SC954R (Ratchet)
			 SC957R (Ratchet with lock)

Complete Instrument				
	Description	Item No.	Diam.	Length
 1/1	Alligator grasping forceps	SC109R	5 mm	31 cm
 1/1	Fixation forceps	SC127R	5 mm	31 cm
 1/1	Atraumatic wave grasper, single action	SC233R	5 mm	31 cm
		SC234R	5 mm	42 cm
 1/1	Atraumatic wave grasper, double action	SC235R	5 mm	31cm
		SC236R	5 mm	42cm
 1/1	Fundus grasper	SC221R	5 mm	31 cm
		SC230R	5 mm	42 cm




Reusable Monopolar Instruments

Grasping Forceps







Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
SC615R 	SC973R 	SC959R 	SC958R (Quick-Snap™ Non-Ratchet) 
SC644R 	SC973R 	SC959R 	SC959R (Quick-Snap™ Ratchet) 
SC786R 	SC973R 	SC959R 	SC950R (Insulated Metal Non-Ratchet) 
SC787R 	SC981R 	SC959R 	SC951R (Insulated Metal Ratchet) 
SC788R 	SC973R 	SC959R 	SC953R (Axial/In-Line) 
SC789R 	SC981R 	SC959R 	SC954R (Ratchet) 
SC774R 	SC973R 	SC959R 	SC957R (Ratchet with lock) 
SC783R 	SC981R 	SC959R 	

Complete Instrument				
Description	Item No.	Diam.	Length	
 1/1 Bowel grasping forceps, fenestrated	SC216R	5 mm	31cm	
	SC217R	5 mm	42 cm	
 1/1 Universal grasping forceps, fenestrated	SC128R	5 mm	31 cm	
	SC229R	5 mm	42 cm	
 1/1 Universal grasper, fenestrated	SC191R	5 mm	31 cm	
 1/1 CROCE/OLMI Atraumatic forceps	SC185R	5 mm	31 cm	
 1/1 CROCE/OLMI Atraumatic forceps, fenestrated	SC232R	5 mm	31 cm	




Reusable Monopolar Instruments

Grasping Forceps











Individual Components			Optional Handles - Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
SC769R 	SC973R 	SC958R 	SC958R (Quick-Snap™ Non-Ratchet) 
SC770R 	SC981R 	SC958R 	
SC647R 	SC973R 	SC959R 	SC959R (Quick-Snap™ Ratchet) 
SC782R 	SC981R 	SC959R 	
SC736R 	SC973R 	SC959R 	SC950R (Insulated Metal Non-Ratchet) 
SC728R 	SC973R 	SC959R 	
SC785R 	SC973R 	SC959R 	SC951R (Insulated Metal Ratchet) 
			SC953R (Axial/In-Line) 
			SC954R (Ratchet) 
			SC957R (Ratchet with lock) 

Complete Instrument				
	Description	Item No.	Diam.	Length
 1/1	Short grasper, fenestrated	SC222R	5 mm	31 cm
		SC223R	5 mm	42 cm
 1/1	DORSEY Intestinal forceps	SC112R	5 mm	31 cm
		SC204R	5 mm	42 cm
 1/1	Pike mouth grasper	Order by Component	5 mm	22 cm
		SC107R	5 mm	31 cm
 1/1	Pike mouth grasper	Order by Component	10 mm	31 cm




Reusable Monopolar Instruments

Grasping Forceps





Individual Components			Optional Handles - Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC775R	 SC973R	 SC959R	 SC958R (Quick-Snap™ Non-Ratchet)  SC959R (Quick-Snap™ Ratchet)  SC950R (Insulated Metal Non-Ratchet)  SC951R (Insulated Metal Ratchet)  SC953R (Axial/In-Line)  SC954R (Ratchet)  SC957R (Ratchet with lock)
 SC776R	 SC981R	 SC959R	
 SC618R	 SC973R	 SC959R	
 SC755R	 SC981R	 SC959R	
 SC634R	 SC970R	 SC959R	
 SC613R	 SC973R	 SC959R	
 SC621R	 SC974R	 SC959R	

Complete Instrument				
	Description	Item No.	Diam.	Length
 1/1	Claw grasper, 2 x 3 teeth	SC117R	10 mm	31 cm
 1/1	Grasping forceps, 2 x 4 teeth	SC132R	5 mm	31 cm
		SC201R	5 mm	42 cm
 1/1	Grasping forceps, 1 x 2 teeth	Order by Component	5 mm	31 cm
 1/1	Grasping forceps, fine teeth	SC134R	5 mm	31 cm
 1/1	BABCOCK Grasping forceps, single action	SC113R	5 mm	31 cm
 1/1	BABCOCK Grasping forceps, single action For use with flexible 13 mm trocars	Order by Component	5 mm	31 cm




Reusable Monopolar Instruments

Grasping Forceps





Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
SC623R 	SC974R 	SC959R 	SC958R (Quick-Snap™ Non-Ratchet) 
SC648R 	SC973R 	SC959R 	
SC749R 	SC981R 	SC959R 	SC959R (Quick-Snap™ Ratchet) 
SC649R 	SC973R 	SC959R 	
SC650R 	SC973R 	SC959R 	SC950R (Insulated Metal Non-Ratchet) 
SC619R 	SC973R 	SC959R 	
SC640R 	SC973R 	SC959R 	SC951R (Insulated Metal Ratchet) 
			SC953R (Axial/In-Line) 
			SC954R (Ratchet) 
			SC957R (Ratchet with lock) 

Complete Instrument				
Description	Item No.	Diam.	Length	
 1/1 BABCOCK Grasping forceps, single action	SC114R	10 mm	31 cm	
	SC205R	10 mm	42 cm	
 1/1 BABCOCK Grasping forceps, double action	SC212R	5 mm	31 cm	
	SC209R	5 mm	42 cm	
 1/1 BABCOCK Grasping forceps, double action	SC196R	10 mm	37 cm	
 1/1 MEYER Grasping forceps, jaw length 90 mm	SC197R	10 mm	37 cm	
 1/1 ALLIS Atraumatic grasping forceps	SC104R	5 mm	31 cm	
 1/1 ALLIS Atraumatic grasping forceps For use with flexible 13 mm trocars	Order by Component	5 mm	31 cm	




Reusable Monopolar Instruments

Grasping Forceps







Individual Components			Optional Handles - Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC620R	 SC974R	 SC959R	 SC958R (Quick-Snap™ Non-Ratchet)  SC959R (Quick-Snap™ Ratchet)  SC950R (Insulated Metal Non-Ratchet)  SC951R (Insulated Metal Ratchet)  SC953R (Axial/In-Line)  SC954R (Ratchet)  SC957R (Ratchet with lock)
 SC757R	 SC982R	 SC959R	
 SC765R	 SC973R	 SC959R	
 SC762R	 SC981R	 SC959R	
 SC741R	 SC977R	 SC959R	
 SC742R	 SC977R	 SC959R	
 SC610R	 SC973R	 SC958R	
 SC670R	 SC973R	 SC959R	



Complete Instrument				
Description	Item No.	Diam.	Length	
 LINDER Lunggrasping forceps For use with flexible 13 mm trocars 1/1	Order by Component	5 mm	22 cm	
	Order by Component	5 mm	31 cm	
 DUVAL Atraumatic parenchyma fixation forceps 1/1	Order by Component	5 mm	31 cm	
 DUVAL Atraumatic parenchyma fixation forceps 1/1	Order by Component	10 mm	37 cm	
 KIEFER Atraumatic universal forceps, fenestrated 1/1	SC188R	10 mm	31 cm	
 GLASSMAN Clamping forceps, jaw length 60 mm 1/1	SC215R	10 mm	31 cm	
 CROCE/OLMI Fixation forceps 1/1	SC186R	5 mm	31 cm	
 HEYWOOD-SMITH Tissue grasping forceps 1/1	SC105R	10 mm	31 cm	




Reusable Monopolar Instruments

Grasping Forceps






Individual Components				Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle		
 SC696R	 SC970R	 SC958R	 SC958R (Quick-Snap™ Non-Ratchet)	
 SC687R	 SC973R	 SC958R	 SC959R (Quick-Snap™ Ratchet)	
 SC609R	 SC973R	 SC959R	 SC950R (Insulated Metal Non-Ratchet)	
 SC612R	 SC977R	 SC959R	 SC951R (Insulated Metal Ratchet)	
 SC731R	 SC975R	 SC959R	 SC953R (Axial/In-Line)	
 SC768R	 SC974R	 SC959R	 SC954R (Ratchet)	
 SC729R	 SC973R	 SC959R	 SC957R (Ratchet with lock)	
 SC611R	 SC975R	 SC959R		

Complete Instrument				
Description	Item No.	Diam.	Length	
 PENNINGTON Tissue grasping forceps 1/1	Order by Component	10 mm	37 cm	
 Curved grasper 1/1	SC211R	5 mm	31 cm	
	SC208R	5 mm	42 cm	
 Fixation forceps, fenestrated, fine serration 1/1	SC149R	5 mm	31 cm	
 Fixation forceps, fenestrated, medium size serration 1/1	SC206R	5 mm	31 cm	
 Atraumatic grasping forceps, fenestrated 1/1	SC130R	5 mm	31 cm	




Reusable Monopolar Instruments

Grasping Forceps








Individual Components			Optional Handles - Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
SC679R 	SC977R 	SC959R 	SC958R (Quick-Snap™ Non-Ratchet) 
SC764R 	SC973R 	SC958R 	
SC761R 	SC981R 	SC958R 	SC950R (Insulated Metal Non-Ratchet) 
SC680R 	SC973R 	SC958R 	
SC758R 	SC973R 	SC958R 	SC953R (Axial/In-Line) 
SC646R 	SC973R 	SC958R 	
			SC954R (Ratchet) 
			SC957R (Ratchet with lock) 


Complete Instrument			
Description	Item No.	Diam.	Length
 1/1 Atraumatic fixation forceps	Order by Component	5 mm	22 cm
	SC101R	5 mm	31 cm
	SC199R	5 mm	42 cm
 1/1 Bullet nose grasper	SC190R	5 mm	31 cm
	SC203R	5 mm	42 cm
	SC129R	5 mm	31 cm
 1/1 Tube fixation forceps	SC200R	5 mm	42 cm




Reusable Monopolar Instruments

Grasping Forceps






Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC633R	 SC970R	 SC958R	 SC958R (Quick-Snap™ Non-Ratchet)  SC959R (Quick-Snap™ Ratchet)  SC950R (Insulated Metal Non-Ratchet)  SC951R (Insulated Metal Ratchet)  SC953R (Axial/In-Line)  SC954R (Ratchet)  SC957R (Ratchet with lock)
 SC607R	 SC973R	 SC958R	
 SC747R	 SC981R	 SC958R	
 SC735R	 SC973R	 SC958R	
 SC753R	 SC981R	 SC958R	
 SC645R	 SC973R	 SC958R	
 SC748R	 SC981R	 SC958R	




Complete Instrument			
Description	Item No.	Diam.	Length
 1/1 Oval grasper	SC210R	5 mm	31 cm
	SC207R	5 mm	42 cm
 1/1 Tube grasping forceps, roller jaws	Order by Component	10 mm	31 cm
 1/1 Fixation forceps	Order by Component	10 mm	31 cm
 1/1 MASSOUND Delicate forceps For use with flexible 13 mm trocars	SC189R	5 mm	31 cm
 1/1 ALLIS Grasping forceps	SC111R	5 mm	31 cm
 1/1 Tenaculum forceps	SC224R	5 mm	31 cm




Reusable Monopolar Instruments

Grasping Forceps









Individual Components			Optional Handles - Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC763R	 SC973R	 SC958R	 SC958R (Quick-Snap™ Non-Ratchet)  SC959R (Quick-Snap™ Ratchet)  SC950R (Insulated Metal Non-Ratchet)  SC951R (Insulated Metal Ratchet)  SC953R (Axial/In-Line)  SC954R (Ratchet)  SC957R (Ratchet with lock)
 SC760R	 SC981R	 SC958R	
 SC743R	 SC974R	 SC959R	
 SC681R	 SC974R	 SC959R	
 SC734R	 SC973R	 SC958R	
 SC617R	 SC973R	 SC959R	
 SC777R	 SC973R	 SC959R	

Complete Instrument				
	Description	Item No.	Diam.	Length
 1/1	Tenaculum forceps	SC225R	10 mm	31 cm
 1/1	Lymph node grasping forceps	SC194R	5 mm	22 cm
 1/1	Lymph node fixation forceps	Order by Component	10 mm	31 cm
 1/1	DE BAKEY Atraumatic forceps, jaw length 40 mm	Order by Component	5 mm	31 cm
 1/1	DE BAKEY Atraumatic forceps, jaw length 50 mm	SC137R	5 mm	42 cm
 1/1	DE BAKEY Atraumatic forceps, jaw length 65 mm	Order by Component	5 mm	31 cm
 1/1	DE BAKEY Atraumatic forceps, jaw length 30 mm	Order by Component	10 mm	37 cm
 1/1	DE BAKEY Atraumatic forceps, jaw length 50 mm	Order by Component	10 mm	22 cm
		SC118R	10 mm	37 cm




Reusable Monopolar Instruments

Biopsy Forceps








Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
 SC778R	 SC974R	 SC959R	 SC958R (Quick-Snap™ Non-Ratchet)  SC959R (Quick-Snap™ Ratchet)  SC950R (Insulated Metal Non-Ratchet)  SC951R (Insulated Metal Ratchet)  SC953R (Axial/In-Line)  SC954R (Ratchet)  SC957R (Ratchet with lock)
 SC739R	 SC970R	 SC959R	
 SC688R	 SC974R	 SC959R	
 SC657R	 SC973R	 SC959R	
 SC657R	 SC981R	 SC959R	
 SC658R	 SC973R	 SC959R	
 SC651R	 SC977R	 SC959R	
 SC712R	 SC992R	 SC959R	
 SC624R	 SC977R	 SC959R	


Complete Instrument				
Description	Item No.	Diam.	Length	
 1/1	SC500R	10 mm	31 cm	
 1/1	P0501R	5 mm	31 cm	
	SC509R	5 mm	42 cm	
 1/1	SC505R	5 mm	31 cm	
	SC511R	5 mm	42 cm	
 1/1	SC502R	5 mm	31 cm	
	SC512R	5 mm	42 cm	
 1/1	SC510R	5 mm	42 cm	




Reusable Monopolar Instruments

Spare Parts

Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
SC705R 	SC974R 	SC958R 	SC958R (Quick-Snap™ Non-Ratchet) 
SC626R 	SC973R 	SC958R 	
SC750R 	SC981R 	SC958R 	SC959R (Quick-Snap™ Ratchet) 
SC652R 	SC973R 	SC958R 	
SC756R 	SC981R 	SC958R 	SC950R (Insulated Metal Non-Ratchet) 
SC627R 	SC973R 	SC958R 	
SC759R 	SC981R 	SC958R 	SC951R (Insulated Metal Ratchet) 
SC751R 	SC981R 	SC958R 	
			SC953R (Axial/In-Line) 
			SC954R (Ratchet) 
			SC957R (Ratchet with lock) 

3.5 mm Instruments	Item No.	Diam.	Length
	SC362810	3.5 mm	20 cm
	SC342810	3.5 mm	29 cm
	SC987P	3.5/3.5 mm	20 cm
	SC986P	3.5/3.5 mm	29 cm

5 mm and 10 mm Instruments	Item No.	Diam.	Length
	SC630201	-	22 cm
	SC600201	-	31 cm
	SC618201	-	37 cm
	SC434201	-	42 cm
	SC970R	5/5 mm	22 cm
	SC971R	5/10 mm	22 cm
	SC992R	10/10 mm	22 cm
	SC973R	5/5 mm	31 cm
	SC975R	5/10 mm	31 cm
	SC974R	10/10 mm	31 cm
	SC976R	5/5 mm	37 cm
	SC978R	5/10 mm	37 cm
	SC977R	10/10 mm	37 cm
	SC981R	5/5 mm	42 cm
	SC982R	10/10 mm	42 cm


Monopolar Electrodes

Monopolar Electrodes	Description	Item No.	Diam.	Length
	Handle for monopolar laparoscopy electrodes	GK372R	5 mm	33 cm
		GK374R	5 mm	42 cm




	J Hook electrode tip	GK383R		
	L Hook electrode tip	GK384R		
	Ball electrode tip	GK385R		
	Spatula electrode tip	GK386R		

Spare Parts (Components of GK372R / GK374R)	Description	Item No.	Diam.	Length
	Handle with inner tube	GK373R	5 mm	33 cm
		GK375R	5 mm	42 cm



	Separate outer tube	GK370P	5 mm	33 cm
		GK376P	5 mm	42 cm



Micropin Electrode	Description	Item No.	Diam.	Length
	Low-energy micropin	GK390R	5 mm	33 cm




Spare Parts (Components of GK390R)	Description	Item No.	Diam.	Length
	Pin electrode only (pack of 5 pcs.)	GK389R		
	Handle with inner tube	GK373R	5 mm	33 cm
	Separate outer tube	GK371P	5 mm	33 cm

Monopolar Electrode	Description	Item No.	Diam.	Length
	L-Hook electrode for use with electrode handle GN230	GK397R	3.5 mm	20 cm
		GK398R	3.5 mm	29 cm




HF Contact Pin	Description	Item No.
	SC handles package of 5 pieces	SC950400
	SC handles and monopolar electrode package of 5 pieces	PL170251

Rotation Knobs	Description	Item No.
	Rotation knob for SC950R and SC951R only. Package of 5 pieces	SC950250

BIPOLAR INSTRUMENTS

A precision range of bipolar forceps, cords, and accessories for localized electrosurgical coagulation. Current flows only between the two tips, delivering focused hemostasis with minimal lateral thermal spread — ideal for delicate tissue and confined spaces. Includes reusable and disposable options in multiple tip sizes and configurations. Ergonomic designs, secure connections, and high-grade insulation ensure safe, controlled, and consistent performance across neurosurgery, ophthalmic, ENT, and general surgical applications.



Single Use Bipolar Instruments

Scissors (box of 6)	Description	Item No.	Diam.	Length
	METZENBAUM Scissors	PL700	5 mm	31 cm



Forceps (box of 6)	Description	Item No.	Diam.	Length
	MARYLAND Dissection forceps, fenestrated	PL701	5 mm	31 cm
	MARYLAND Dissection forceps	PL702SU	5 mm	31 cm
	Macro grasping forceps	PL703SU	5 mm	31 cm



Reusable Bipolar Instruments

The enhanced safety of Ceramic Insulation in Reusable Bipolar Laparoscopic Modular Instruments



Complete Instrument	Individual Components		
	Jaw Insert	Insulated Outer Tube	Standard Handle
 SC409R - METZENBAUM Scissors, 5 mm, 22 cm	SC439R	SC970R	SC450R
 SC400R - METZENBAUM Scissors, 5 mm, 31 cm	SC430R	SC973R	SC450R
SC404R - METZENBAUM Scissors, 5 mm, 42 cm	SC434R	SC981R	SC450R
 SC414R - Mini METZENBAUM Scissors, 5 mm, 22 cm	SC444R	SC970R	SC450R
 SC407R - Mini METZENBAUM Scissors, 5 mm, 31 cm	SC437R	SC973R	SC450R
SC410R - MARYLAND dissecting forceps, 5 mm, 22 cm	SC440R	SC970R	SC450R
 SC401R - MARYLAND dissecting forceps, 5 mm, 31 cm	SC431R	SC973R	SC450R
SC405R - MARYLAND dissecting forceps, 5 mm, 42 cm	SC435R	SC981R	SC450R
 SC413R - MARYLAND dissecting forceps, fenestrated, 5 mm, 22 cm	SC443R	SC970R	SC450R
 SC408R - MARYLAND dissecting forceps, fenestrated, 5 mm, 31 cm	SC438R	SC973R	SC450R
SC415R - MARYLAND dissecting forceps, fenestrated, 5 mm, 42 cm	SC445R	SC981R	SC450R
 SC402R - Micro forceps, 5 mm, 31 cm	SC432R	SC973R	SC450R
SC412R - Macro forceps, 5 mm, 22 cm	SC442R	SC970R	SC450R
 SC403R - Macro forceps, 5 mm, 31 cm	SC433R	SC973R	SC450R
SC406R - Macro forceps, 5 mm, 42 cm	SC436R	SC981R	SC450R
 SC433220 - Jaw protection cap			


SPECIALITY INSTRUMENTS

A comprehensive range of instruments for minimally invasive surgery, designed for precision through small access ports. Includes trocars, graspers, dissectors, scissors, needle holders, clip appliers, and suction/irrigation systems. Features 360° rotatable shafts, insulated monopolar/bipolar connectors, and ergonomic ring or ratchet handles for controlled, atraumatic tissue manipulation. High-grade stainless steel construction ensures durability, reliable insulation, and excellent performance across general, gynaecological, urological, and thoracic laparoscopic procedures.



Slide Lock Graspers

- Proven durability and holding power
- Excellent tissue and grip control
- Single and dual action models
- Fingertip rotation knob for optimal one-handed control
- Single piece instrument, flush port cleanable

Description		Sovereign®	
		36 cm	42 cm
 1/1	Atraumatic grasper, single action, non-rotatable, 5 mm	PL230R	PL231R
 1/1	Atraumatic grasper, double action, rotatable, 5 mm	PL232R	PL233R
 1/1	Retraction grasper, single action, non-rotatable, 5 mm	PL234R	—
 1/1	Retraction grasper, double action, rotatable, 5 mm	PL235R	—










Bulldog Clips

	Description	Item No.	Closing Force	Jaw Length	Jaw Shape
	Intestinal bulldog clip for temporary atraumatic occlusion	PL541S	400 g	70 mm	Straight
	Vessel bulldog clips with DEBAKEY jaws for temporary atraumatic occlusion	PL544S	350 g	25 mm	Straight
		PL545S	450 g	45 mm	Straight
		PL548S	350 g	25 mm	Curved
		PL549S	450 g	45 mm	Curved

Description	Item No.	Diameter	Length
	PL530R	12.5 mm	35 cm
	PL531R	12.5 mm	35 cm
Replacement rotation knob	PL664P		

Specialty Instruments: Advanced Urology

Complete Instrument				
	Description	Item No.	Diam.	Length
	CRAFOORD Endovascular Clamp, Short Jaw, <i>For use with 10 mm trocars</i>	SC173R	5 mm	31 cm
	CRAFOORD Endovascular Clamp, Long Jaw, <i>For use with 10 mm trocars</i>	SC178R	5 mm	31 cm
	SATINSKY Atraumatic Clamp, 38 mm Jaw, <i>For use with 13 mm flexible trocars</i>	SC171R	5 mm	31 cm
	SATINSKY Atraumatic Clamp, 51 mm Jaw, <i>For use with 13 mm flexible trocars</i>	SC177R	5 mm	31 cm
	DEBAKEY Atraumatic Clamp, S-shaped, <i>For use with 13 mm flexible trocars</i>	SC176R	5 mm	31 cm
	DEBAKEY Atraumatic Clamp, Curved, <i>For use with 13 mm flexible trocars</i>	SC175R	5 mm	31 cm
	SIMON Renal Pole Clamp, 100 mm Jaw	SC228R	10 mm	37 cm

Individual Components			Optional Handles – Interchangeable for 5 mm and 10 mm Instruments
Jaw Insert	Insulated Outer Tube	Standard Handle	
			
			
			
			
			
			
			

Needle Holders and Suturing




Extracorporeal	Description	Item No.	Diam.	Length
1/1	Durogrip™ needle holder, straight, tungsten carbide inserts (SC959R handle)	SC550R	5 mm	31 cm
1/1	Durogrip needle holder, curved tungsten carbide inserts (SC959R handle)	SC559R	5 mm	31 cm
1/1	Knot pushing forceps	SC654R SC973R SC958R	5 mm	31 cm
1/1	CROCE/OLMI Dissecting and suture scissors with knot pusher (SC958R handle)	SC022R	5 mm	31 cm
	Knot Pusher	PL651R	5 mm	31 cm
	Suture hook for intracorporeal tightening of the suture line by pulling on the suture throws in case of continuous anastomosis	SC193R	5 mm	33 cm
	Loop applier, 4.5 mm inner diameter	PL650R	5 mm	15 cm
	Sealing cap, box of 20	PL650250		




Intracorporeal	Description	Item No.	Diam.	Length
1/1	Durogrip™ TC needle holder, straight	PL419R	3.5 mm	20 cm
1/1	Durogrip TC needle holder, straight	PL418R	3.5 mm	29 cm
1/1	Durogrip TC needle holder, straight	PL407R	5 mm	31 cm
1/1	Durogrip TC needle holder, straight	PL404R	5 mm	37 cm
1/1	Durogrip TC needle holder, straight	PL416R	5 mm	42 cm
1/1	Durogrip TC needle holder, curved left	PL408R	5 mm	31 cm
1/1	Durogrip TC needle holder, curved left	PL405R	5 mm	37 cm
1/1	Durogrip TC needle holder, curved left	PL417R	5 mm	42 cm
1/1	Durogrip TC needle holder, curved right	PL413R	5 mm	31 cm
1/1	Durogrip TC needle holder, curved right	PL415R	5 mm	37 cm
1/1	"The Viper" Durogrip TC suture Assistant/ needle holder, 2 x 3 Teeth	PL409R	5 mm	31 cm
1/1	Super righting needle holder	PL414R	5 mm	31 cm
1/1	Durogrip TC needle holder, fenestrated	PL410R	5 mm	31 cm
1/1	Durogrip TC needle holder, crimped/ fenestrated	PL411R	5 mm	31 cm

Cinch Organ Retractor

Components	Description	Item No.
	Reusable atraumatic clip, 5.00 N (510 g) closing force	PL593R
	Siliconering with needle, sterile, single-use, box of 12 All components of packaging are latex free.	PL595SU
	Articulating clip applicator/remover, 12.5 mm, 35 cm	PL530R
	Fixed clip applicator/remover, 12.5 mm, 35 cm	PL531R

Retractors

	Description	Item No.	Diam.	Length
	Fan retractor	PL680R	10 mm	40 cm
	Prostate retractor	PL682R	10 mm	37 cm
				
				


Suction / Irrigation

Description	Item No.	Diameter	Length
Suction/irrigation tube with finger valve, luer-lock connection	GF320R	5 mm	33 cm
			
Suction/Irrigation Tube, Luer-Lock connection	GF321R	5 mm	33 cm
			
Puncture needle with finger valve, luer-lock connection, 2 mm (12 gauge) distal tip diameter	SR553R	5 mm	45 cm
			
Injection cannula, straight, distal tip diameter 0.8 mm	SR554R	5 mm	37 cm
			

Description	Item No.	Diam.	Length
Suction irrigation tube with two-way-stopcock	PG027R	5 mm	33 cm
			
Suction irrigation tube with trumpet valve	GF324R	5 mm	30 cm
			
Suction irrigation tube with trumpet valve	GF325R	10 mm	40 cm
			

LIGATION INSTRUMENTS

A dedicated collection of instruments for secure vessel and duct occlusion during surgery. Includes ligature carriers (Deschamps), clip applicators and clips, aneurysm needles, and ligature-passing forceps. Designed for precise placement of sutures or clips around deep or delicate structures, with fine tips, smooth jaws, and ergonomic handles to ensure reliable knotting or clipping with minimal tissue trauma. Crafted from premium stainless steel for durability and corrosion resistance.



Clip Appliers and Removal Forceps

Laparoscopic Clip Appliers



Size	Color Code	Shaft diam.	Length 31 cm	Length 42 cm
Medium		10 mm	PL806R	PL826R
Medium-Large		10 mm	PL807R	PL827R


Laparoscopic Clip Removal Forceps



Size	Color Code	Shaft diam.	Length 31 cm
Medium		10 mm	PL816R
Medium-Large		10 mm	PL817R

Ti-P Multi-Fire Clip Applicator

Medium-Large (ML)	Description	Item No.	Diameter	Length
	Clip applicator, Medium-Large (ML)	PL606R	10 mm	37 cm
		PL608R	10 mm	26 cm






1/1

7.9 mm
8.1 mm

Medium-Large (ML) clips for use with 10 mm clip applicators, 12 sterile clip cartridges per box, 8 titanium clips and 1 CO₂ cylinder per cartridge

PL579T

Small-Medium (SM)	Description	Item No.	Diameter	Length
	Clip applicator, Small-Medium (SM)	PL604R	5 mm	31 cm
		PL603R	5 mm	20.5 cm





1/1

4 mm
4.5 mm

Small-Medium (SM) clips for use with 5 mm clip applicators 12 sterile clip cartridges per box, 12 titanium clips and 1 CO₂ cylinder per cartridge

PL574T

ACCESS & CLOSURE

A complete range of instruments for initial surgical entry and final wound approximation. Includes scalpels, surgical blades, retractors for exposure, needle holders, suture materials, skin staplers, and adhesive wound closure strips. Designed to deliver clean, precise incisions and secure, reliable closure of tissue layers. Ergonomic grips, balanced designs, and premium-grade materials ensure efficient workflow and optimal patient outcomes from the first cut to the final dressing.



Access Instruments


Description	Item No.	Diam.	Length
VERESS needle, single use, box of 20	EJ995	2.1 mm	120 mm
	EJ996	2.1 mm	150 mm
VERESS needle with 1.6 mm (14 gauge) distal tip diameter	PG003	2.1 mm	100 mm
	PG008	2.1 mm	120 mm
	PG011	2.1 mm	150 mm
Exploratory probe with scaling	BN320R	5 mm	40 cm
	BN321R	5 mm	50 cm
Exploratory probe with scaling	BN322R	3.5 mm	40 cm

Insufflation

Description	Item No.
Disposable tube set incl. CO2 filter, sterile, 10 ft., box of 10	PG012
Disposable CO2 filter, sterile, box of 25	PG019

3.5 mm Trocars

Sleeves




Smooth, without stopcock

EK311R
60 mm

EK315R
110 mm

Sleeves




Smooth, with stopcock
Inner diameter of EK310R and EK314R is enlarged for optimized insufflation, insertion of needles and 4 mm scopes.

EK310R
60 mm

EK314R
110 mm


Obturator



Conical sharp
For use with non-insufflation sleeves
EK311R & EK315R

EK345R
60 mm

EK346R
110 mm




Conical blunt
For use with non-insufflation sleeves
EK311R & EK315R

EK348R
60 mm

EK349R
110 mm


Obturator



Conical sharp
For use with insufflation sleeves
EK310R & EK314R

EK355R
60 mm

EK356R
110 mm



Conical blunt
For use with insufflation sleeves
EK310R & EK314R


EK358R
60 mm

EK359R
110 mm

 **EK380P**
Sealing unit for 3.5 mm trocars, box of 20

5 mm Trocars

Sleeves




Smooth, with stopcock

EK010R
60 mm

EK014R
110 mm


EK018R
150 mm



Smooth, without stopcock

EK011R
60 mm

EK015R
110 mm



Threaded, with stopcock

EK012R
60 mm

EK016R
110 mm



Threaded, without stopcock


EK013R
60 mm

EK017R
110 mm

 **EK080P**
Sealing unit for 5 mm trocars, box of 20

 **EK001SU**
Single-use sealing unit for 5 mm trocars, box of 20

Obturator




Conical Sharp

EK045R
60 mm

EK046R
110 mm

EK047R
150 mm




Conical Blunt

EK048R
60 mm

EK049R
110 mm

EK050R
150 mm




Triangular Sharp

EK051R
60 mm

EK052R
110 mm

EK053R
150 mm



Dilating

EK148SU
60 mm

EK149SU
110 mm


EK150SU
150 mm

Single-use, sterile (box of 6)


10 mm Trocars

Sleeves

 Smooth, with stopcock EK024R 110 mm EK028R 150 mm	 Smooth, without stopcock EK025R 110 mm	 Threaded, with stopcock EK026R 110 mm	 Threaded, without stopcock EK027R 110 mm
--	---	---	---

 EK083P Sealing unit for 10/12 mm trocars with 5 mm Flap Converter	 EK086P Sealing unit for 10/12 mm trocars	 EK002SU Single-use universal sealing unit for 10/12 mm trocars Box of 20
--	---	---


Obturator

 Conical sharp EK056R 110 mm EK057R 150 mm	 Conical blunt EK059R 110 mm EK060R 150 mm	 Triangular sharp EK062R 110 mm EK063R 150 mm	 Dilating EK159SU 110 mm EK160SU 150 mm Single-use, sterile (box of 6)
--	--	--	---


12 mm Trocars

Sleeves

 Smooth, with stopcock EK034R 110 mm EK038R 150 mm	 Smooth, without stopcock EK035R 110 mm	 Threaded, with stopcock EK036R 110 mm	 Threaded, without stopcock EK037R 110 mm
--	---	--	---

 EK083P Sealing unit for 10/12 mm trocars with 5 mm flap converter	 EK086P Sealing unit for 10/12 mm trocars	 EK002SU Single-use universal sealing unit for 10/12 mm trocars box of 20
--	---	---

Obturator


 Conical sharp EK066R 110 mm EK067R 150 mm	 Conical blunt EK069R 110 mm EK070R 150 mm	 Triangular sharp EK072R 110 mm EK073R 150 mm	 Dilating EK169SU 110 mm EK170SU 150 mm Single-use, sterile (box of 6)
--	--	---	---

Flexible Trocars



- Flexible Trocars**
- Flexible trocar sleeve allows insertion of curved instruments and specialty jaw patterns
 - Available in two different diameters:
 - 7 mm for use with 5 mm instruments
 - 13 mm for use with 5 mm and 10 mm instruments

7 mm



EJ800R
Complete trocar includes:
obturator, cannula and
valve, 7 mm x 100 mm

13 mm



EJ590R
Complete trocar includes: obturator,
cannula and valve,
13 mm x 100 mm



EJ804P	Flexible cannula for 7 mm trocars, 75 mm length, box of 3
EJ806P	Flexible cannula for 7 mm trocars, 100 mm length, box of 3
EJ824P	Flexible cannula for 13 mm trocars, 75 mm length, box of 3
EJ826P	Flexible cannula for 13 mm trocars, 100 mm length, box of 3



DEDICATED
SALES
TEAM

CONTACT US NOW!

FOR EXCEPTIONAL CUSTOMER CARE.

- DETAILS ✓
- QUOTATION ✓
- VIRTUAL MEETING ✓
- ORDER ✓

CONTACT US NOW!

Location:
Shahabpura, Sialkot, Pakistan



Website:
www.lubellsurgical.com



Email:
info@lubellsurgical.com



Phone Number:
+92 300 3408574

